

# **Massachusetts Acute Care Hospital Inpatient Discharge Data – Quarterly Update**

October 2018 through  
June 2023 (Preliminary)

November 2023

Technical Appendix



---

# Massachusetts Acute Care Hospital Inpatient Discharge Data (Quarterly Update):

October 2018 through June 2023 (Preliminary)

## TECHNICAL APPENDIX

### Table of Contents

Introduction .....	3
Data Source .....	3
Hospital Characteristics .....	3
Calculated Measures .....	4
Data Categorizations and Groupings .....	5
Notes .....	11

---

## Introduction

This technical appendix provides details on the methodology used for the report *Massachusetts Acute Care Hospital Inpatient Discharge Data (Quarterly Update): October 2018 through June 2023 (Preliminary)* released by the Massachusetts Center for Health Information and Analysis (CHIA) in November 2023. This appendix describes the main characteristics of Massachusetts acute care hospitals, as well as details on several of the calculated measures, data categorizations, and groupings used in the report.

## Data Source

For this report, the Hospital Inpatient Discharge Database (HIDD) of CHIA's Acute Hospital Case Mix Databases was used as the source data. HIDD is a stay-level file including patient socio-demographics, diagnostic information, treatment and service information, and hospital charges. For general information about CHIA's Case Mix Data, including the HIDD and other Case Mix databases, please see the [Overview of the Massachusetts Acute Hospital Case Mix Databases](#) and additional information about the Case Mix data on [CHIA's website](#).

Interim HIDD data for Quarter 3 of Federal Fiscal Year (FFY) 2023 (April to June 2023) are used in this quarterly update, which means the processing, verification and cleaning that occurs at CHIA is not final; hence the data are considered preliminary. Future updates to the Case Mix Data may result in slightly different estimates than are presented here as more complete data are made available.

Several hospitals over-reported self-pay as the expected payer type for Q3 2023 and will be updated in following quarters for quality purposes. Data for a small number of acute care hospitals were not available at the time of this publication. Hospitals that have no data reported for select months include:

- MetroWest Medical Center (missing preliminary data)
  - April-June 2023
- Saint Vincent Hospital (missing preliminary data)
  - April-June 2023
- Signature Healthcare Brockton Hospital
  - March 2023-June 2023(due to temporary closure)

## Hospital Characteristics

### Acute Care Hospital

Due to small numbers of discharges for several months (<11 discharges), two hospitals, Shriners Hospital for Children – Boston and Springfield, were excluded from the acute care hospital section. 396 discharges in FFY 2020 and 22 discharges in FFY 2021 from temporary COVID-19 field hospitals were also excluded. Discharges from these hospitals were excluded from the acute care hospital section, but were included in all other sections.

### Hospital Cohort

Hospitals are assigned to one of five mutually exclusive groups of similar hospitals: academic medical centers (AMCs), teaching hospitals, community-High Public Payer (HPP) hospitals, other community hospitals, and specialty hospitals.

- AMCs are characterized by extensive research and teaching programs, comprehensive resources for tertiary and quaternary care, being principal teaching hospitals for their respective medical schools, and being full-service hospitals with case mix intensity greater than 5% above the statewide average.
- Teaching hospitals are hospitals that report at least 25 full-time equivalent medical school residents per one hundred inpatient beds in accordance with the Medicare Payment Advisory Commission (MedPAC) and are not classified as AMCs.
- Community-High Public Payer (HPP) hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have 63% or greater of Gross Patient Service Revenue (GPSR) attributable to Medicare, MassHealth, and other government payers, including the Health Safety Net.
- Community hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have a public payer mix of less than 63%.
- Specialty hospitals are hospitals that serve unique patient populations or provide unique sets of services.

Beginning with quarterly updates published in December 2021, discharges that came from temporary COVID-19 field hospitals are no longer grouped with any of the existing hospital cohort classifications. Previous quarterly updates grouped these discharges with specialty hospitals.

## Calculated Measures

### Age

Patient age in years was calculated from the date of the inpatient admission and the patient's date of birth. Discharges were suppressed from the report if the date of birth was missing or invalid, or if the calculated age exceeded 115 years. The number of discharges missing age data was 17 in FFY 2019, 8 in FFY 2020, 22 in FFY 2021, 22 in FFY 2022, and 27 in Q1, Q2, and Q3 of FFY 2023.

### Length of Stay and Inpatient Days

Length of stay (LOS) was calculated by subtracting the admission date from the discharge date. Stays for which the admission and discharge dates were the same would be coded as having a length of stay of 0 days. Average length of stay (ALOS) is an aggregate measure of the mean LOS within a certain category or group. Inpatient days is an aggregate measure of the sum of the LOS, or the days of care associated with a discharge within a category or group. No outliers were removed when calculating the length of stay. The number of discharges with missing length of stay due to missing date of admission or discharge was 8 in FFY 2019, 1 in FFY 2020, 8 in FFY 2021, 7 in FFY 2022, and 5 in Q1, Q2, and Q3 of FFY 2023.

### Intensive Care Use and Days

A discharge was characterized as having any intensive care use if the discharge had any non-zero charge for revenue codes associated with intensive care use. This includes stays in the Intensive Care Unit (ICU), Coronary Care Unit (CCU), Neonatal Intensive Care Unit (NICU), Pediatric Intensive Care Unit (PICU), and other intensive care use.

Revenue codes associated with intensive care use are as follows:

**Table 1. Revenue Codes Associated with ICU**

REVENUE CODE	DESCRIPTION
173	Nursery – Newborn Level III
174	Nursery – Newborn Level IV
200	Intensive Care Unit – General
201	Intensive Care Unit – Surgical
202	Intensive Care Unit – Medical
203	Intensive Care Unit – Pediatric
204	Intensive Care Unit – Psychiatric
206	Intensive Care Unit – Intermediate ICU
207	Intensive Care Unit – Burn Care
208	Intensive Care Unit – Trauma
209	Intensive Care Unit – Other
210	Coronary Care Unit – General
211	Coronary Care Unit – Myocardial Infarction
212	Coronary Care Unit – Pulmonary Care
213	Coronary Care Unit – Heart Transplant
214	Coronary Care Unit – Intermediate CCU
219	Coronary Care Unit – Other

The number of days of care associated with intensive care was calculated by summing the units, or days of care, associated with revenue codes corresponding to intensive care use. The number of units were summed across all relevant intensive care codes. If the sum of units exceeded the length of stay, the total intensive care units were set to the length of stay. One limitation to this analysis is that there may be potential over-counting of total units if a patient utilized more than one type of intensive care and there was overlap of those types of care in a single day. Therefore, the number of intensive care days may be an overestimate of the true number of days of care associated with intensive care use. Lastly, the average LOS by intensive care use was calculated for the total LOS among discharges associated with any intensive care use, not just the days spent in intensive care.

## Data Categorizations and Groupings

### Sex

The number of discharges with missing or unknown sex was 30 in FFY 2019, 17 in FFY 2020, 27 in FFY 2021, 55 in FFY 2022, and 33 in Q1, Q2, and Q3 of FFY 2023.

### Race/Ethnicity

Patient race and ethnicity were classified using a hierarchical grouping based on information entered by the facility. First, any patients of Hispanic/Latino/Spanish culture or origin regardless of race were classified as Hispanic of Any

Race. Next, patients with valid primary race variables, and were not multiple races, were classified as non-Hispanic White, non-Hispanic Black, non-Hispanic Asian, non-Hispanic American Indian/Alaska Native, or non-Hispanic Native Hawaiian/Other Pacific Islander. Patients classified as Other Race or who had more than one race indicated were classified as non-Hispanic Other or Multiple Races. Due to small population sizes, non-Hispanic American Indian/Alaska Native and non-Hispanic Native Hawaiian/Other Pacific Islander are reported together with Other and Multiple Races in the Tableau workbook, but these groups are reported separately in the databook, except in the COVID-19 section. Discharges that could not be classified into any of the above groups due to missing or invalid race/ethnicity information were reported as Missing.

## Payer Type

Payer type is the expected primary payer on the discharge as reported by the hospital. For this analysis, payer type categories were derived from payer source codes. Payer type categories were assigned to one of the following:

- Medicare: Fee-for-service Medicare or managed care Medicare
- Medicaid: MassHealth, including Medicaid managed care, or Commonwealth Care
- Commercial: Blue Cross and Blue Shield Managed Care, Commercial Insurance and Commercial Managed Care, HMO, PPO/Other managed care plans not elsewhere classified, point-of-service plans, exclusive provider organizations, and other non-managed care plans
- Other: Worker's Compensation, Other Government Payment, Auto Insurance, and Dental Plans
- Self-Pay: Self-Pay, Free Care, and Health Safety Net

The number of discharges with missing expected primary payer type was 25 in FFY 2019, 331 in FFY 2020, 395 in FFY 2021, 214 in FFY 2022, and 218 in Q1, Q2, and Q3 of FFY 2023.

## Discharge Setting

For this analysis, discharge setting information reported by the facility was classified into one of seven mutually exclusive categories:

- **Home:** Home or self-care, rest home, or shelter
- **Skilled Nursing Facility (SNF):** Skilled nursing facilities
- **Home with Home Health Agency Care (HHA):** Home under care of organized home health service organization or home under care of a home IV drug therapy provider
- **Hospice:** Home hospice care or hospice medical facility
- **Rehabilitation:** Intermediate care facility, inpatient rehabilitation facility, rehabilitation hospital or Medicare-certified long-term care hospital
- **Expired:** Expired in hospital
- **Other:** Critical access hospital, psychiatric hospital, federal healthcare facility, another short-term general hospital for inpatient care, another type of institution not defined elsewhere, or other discharge setting

The number of discharges with missing discharge setting was 56 in FFY 2019, 17 in FFY 2020, 22 in FFY 2021, 31 in FFY 2022, and 12 in Q1, Q2, and Q3 of FFY 2023.

## Clinical Classifications Software Refined (CCSR) for ICD-10-CM Diagnoses [1]

The CCSR for ICD-10-CM diagnoses was developed by the Agency for Healthcare Research and Quality (AHRQ) and aggregates over 70,000 ICD-10-CM diagnosis codes into more than 530 clinically meaningful categories, organized across 21 body systems. For this analysis, visits were classified into mutually exclusive categories based on the default inpatient CCSR category for the listed primary ICD-10-CM diagnosis code. This update used CCSR v. 2023.1. In the section Diagnoses and Procedures, estimates among the top 25 most common CCSR categories are presented for non-obstetric adult and pediatric discharges, whereas the top 15 CCSR categories are shown for obstetric discharges.

## Clinical Classifications Software (CCSR) for ICD-10-PCS Procedures [2]

The CCSR for ICD-10-PCS procedures was developed by AHRQ and aggregates over 80,000 ICD-10-PCS procedure codes into more than 320 clinically meaningful categories. For this analysis, discharges were classified into mutually exclusive categories based on the listed principal ICD-10-PCS procedure code. This report used CCSR v. 2023.1. In the section Diagnoses and Procedures, estimates among the top 25 most common CCSR categories are presented for non-obstetric adult and pediatric discharges, whereas the top 10 CCSR categories are shown for obstetric discharges.

## Age Group and Obstetric Status

Discharges were grouped into one of three mutually exclusive groups: pediatric (age 0-17, non-obstetric), adult (18+, non-obstetric), and obstetric of any age. The number of discharges missing age data was 17 in FFY 2019, 8 in FFY 2020, 22 in FFY 2021, 22 in FFY 2022, and 27 in Q1, Q2, and Q3 of FFY 2023. Discharges were classified into one of these groups based on age at the time of the admission (0-17 or 18+) and whether the discharge was identified as an obstetric discharge using the Clinical Classifications Software Refined (CCSR) [1] for the principal ICD-10-CM diagnosis. [CCSR categories used to identify obstetric care](#) were defined as follows:

**Table 2. CCSR Categories Associated with Obstetric Care**

CCSR CATEGORY	DESCRIPTION
FAC013	Contraceptive and procreative management
PRG001	Antenatal screening
PRG002	Gestational weeks
PRG003	Spontaneous abortion and complications of spontaneous abortion
PRG004	Induced abortion and complications of termination of pregnancy
PRG005	Ectopic pregnancy and complications of ectopic pregnancy
PRG006	Molar pregnancy and other abnormal products of conception
PRG007	Complications following ectopic and/or molar pregnancy
PRG008	Supervision of high-risk pregnancy
PRG009	Early, first or unspecified trimester hemorrhage
PRG010	Hemorrhage after first trimester
PRG011	Early or threatened labor
PRG012	Multiple gestation
PRG013	Maternal care related to fetal conditions
PRG014	Polyhydramnios and other problems of amniotic cavity
PRG015	Obstetric history affecting care in pregnancy
PRG016	Previous C-section

CCSR CATEGORY	DESCRIPTION
PRG017	Maternal care for abnormality of pelvic organs
PRG018	Maternal care related to disorders of the placenta and placental implantation
PRG019	Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium
PRG020	Hypertension and hypertensive-related conditions complicating pregnancy; childbirth; and the puerperium
PRG021	Maternal intrauterine infection
PRG022	Prolonged pregnancy
PRG023	Complications specified during childbirth
PRG024	Malposition, disproportion or other labor complications
PRG025	Anesthesia complications during pregnancy
PRG026	OB-related trauma to perineum and vulva
PRG027	Complications specified during the puerperium
PRG028	Other specified complications in pregnancy
PRG029	Uncomplicated pregnancy, delivery or puerperium
PRG030	Maternal outcome of delivery

### Chronic Conditions [3]

Chronic conditions were identified using an adapted algorithm created by the [Chronic Conditions Data Warehouse](#) (CCW) as developed by the Centers for Medicare and Medicaid (CMS) using the primary and secondary diagnosis codes included for the discharge. The CCW includes 67 conditions including 27 common chronic conditions and 40 other chronic or potentially disabling conditions. The Quarterly Updates publication includes the 25 most common chronic conditions from the CCW among all discharges and within each obstetric and age group by discharge volume. One limitation of this analysis is that because only diagnoses associated with inpatient discharges are considered, the calculated prevalence of these chronic conditions are likely underestimates of true prevalence in the studied populations. For this analysis, chronic conditions were also analyzed for each obstetric and age group, and only discharges among patients aged 2 years and older were included.

### Behavioral Health

For this analysis, discharges were categorized into clinical meaningful independent behavioral health categories based on the listed primary and secondary diagnosis codes using the CCSR categories for ICD-10-CM diagnoses defined by AHRQ as related to mental and behavioral disorders S[1]. A discharge may be associated with more than one behavioral health category because all primary and secondary diagnoses on the discharge record were considered and because ICD-10-CM diagnoses may be associated with more than one CCSR category. Behavioral health conditions are classified as mental health or substance use based on the conditions and CCSR categories below:



**Table 3. CCSR Categories Associated with Behavioral Health**

OVERALL CATEGORY	DIAGNOSIS CATEGORY	CCSR CATEGORIES	CCSR DESCRIPTION
Mental Health	Mood disorders	MBD002	Depressive disorders
		MBD003	Bipolar and related disorders
		MBD004	Other specified and unspecified mood disorders
	Anxiety disorders	MBD005	Anxiety and fear-related disorders
		MBD006	Obsessive-compulsive and related disorders
	Trauma disorders	MBD007	Trauma and stressor-related disorders
	Intentional self-harm, suicidal ideation, and suicide attempts	MBD012	Suicidal ideation, attempt, and intentional self-harm
		MBD027	Suicide attempt or intentional self-harm, subsequent encounter
	Schizophrenia and other psychotic disorders	MBD001	Schizophrenia and other psychotic disorders
	Personality disorders	MBD009	Personality disorders
	Impulse control disorders not elsewhere classified	MBD008	Disruptive, impulse-control and conduct disorders
	Miscellaneous mental health conditions	MBD010	Feeding and eating disorders
		MBD011	Somatic disorders
		MBD013	Miscellaneous mental and behavioral disorders and conditions
Substance Use	Alcohol-related disorders	MBD017	Alcohol-related disorders
	Cannabis-related disorders	MBD019	Cannabis-related disorders
		MBD030	Cannabis-related disorders, subsequent encounter
	Opioids-related disorders	MBD018	Opioid-related disorders
		MBD028	Opioid-related disorders, subsequent encounter
	Cocaine-related disorders	MBD021*	Stimulant-related disorders
		MBD029*	Stimulant-related disorders, subsequent encounter
		*Only including those related to cocaine	
	Sedatives-related disorders	MBD020	Sedative-related disorders
		MBD032	Sedative-related disorders, subsequent encounter
	Other Stimulant-related disorders	MBD021*	Stimulant-related disorders
		MBD029*	Stimulant-related disorders, subsequent encounter
		*Except those related to cocaine	
	Hallucinogens-related disorders	MBD022	Hallucinogen-related disorders
		MBD031	Hallucinogen-related disorders; subsequent encounter

	Miscellaneous substance-related disorders	<b>MBD023</b>	Inhalant-related disorders
		<b>MBD025</b>	Other specified substance-related disorders
		<b>MBD033</b>	Inhalant-related disorders, subsequent encounter

Additionally, ICD-10-CM diagnoses in CCSR categories MBD026 (Mental and substance use disorders in remission) and MBD034 (Mental and substance use disorders; sequela) were manually associated with the diagnosis categories listed above. See Appendix A for a complete list of behavioral health ICD-10-CM codes and their classifications. Based on the behavioral health diagnosis categories, discharges were aggregated into larger categories representing whether the primary and secondary diagnoses were associated with any behavioral health condition (that is, either a mental health condition or substance use disorder), and for behavioral health diagnoses, whether the discharge was associated with a mental health condition and/or a substance use disorder. Some primary diagnoses may be classified as both mental health and substance use disorders; as such, the categories for Any Mental Health Condition and Any Substance Use Disorder are not mutually exclusive.

Lastly, discharges were classified into mutually exclusive groups: one or more mental health conditions associated with the discharge but no substance use disorder, one or more substance use disorders associated with the discharge but no mental health condition, and co-occurring mental health and substance use conditions.

For this analysis, behavioral health categories were also analyzed for each obstetric and age group, and only discharges among patients aged 2 years and older were included. Some mental health and substance use categories had fewer than 11 discharges for some quarters. These were suppressed for privacy reasons. They include:

- Pediatric (Age 2-17, non-obstetric)
  - Substance Use Disorders – Alcohol-related disorders, Cocaine-related disorders, Hallucinogens-related disorders, Other Stimulant-related disorders, and Other or Miscellaneous Substance Use Disorders
- Obstetric of Any Age
  - Mental Health Conditions: Impulse control disorders not elsewhere classified
  - Substance Use Disorders: Sedatives-related disorders, Other Stimulant-related disorders, and Hallucinogens-related disorders

## COVID-19

A discharge was classified as being associated with COVID-19 if it had a primary or secondary ICD-10-CM diagnosis indicating confirmed or suspected COVID-19 and a date of admission on or after April 1, 2020, or a primary or secondary diagnosis of other (not SARS-associated) coronavirus and a date of admission on or before March 31, 2020. Starting with discharges dated on or after January 1, 2021, additional ICD-10-CM codes were added related to

COVID-19, including J12.82 (Pneumonia due to coronavirus disease 2019). Starting October 1, 2022, the ICD-10-CM code U09.9 for Post-COVID condition, often referred to as “Long COVID,” was added as a code for clinical use.

ICD-10 CODE	DESCRIPTION
<b>U07.1</b>	COVID-19, virus identified (laboratory confirmed)
<b>U07.2</b>	COVID-19, virus not identified (clinically diagnosed)
<b>B97.29*</b>	Other coronaviruses as the cause of disease classified elsewhere
<b>J12.82</b>	Pneumonia due to coronavirus disease 2019
<b>U09.9</b>	Post-COVID condition

\*If the date of admission was on or before March 31<sup>st</sup>, 2020.

For the section focused on COVID-19, the proportions of discharges associated with and without COVID-19 are presented by age group, obstetric and age group, gender, race and ethnicity, expected primary payer type, discharge setting, intensive care use, and intensive care days.

### Utilization by ZIP Code

The utilization map shows hospital inpatient discharges by ZIP Code Tabulation Area, or ZCTA, for FFY 2019 through 2022 as well as acute care hospital locations. The discharge rates per 100 residents are displayed using deciles, showing the distribution of discharges in ten bins. Total discharges were determined using patient ZIP code. The population per ZIP code was determined using 2021 5-year American Community Survey (ACS) estimates [4]. The rate per 100 residents was calculated using the total discharges divided by the population of the ZIP code. Any ZIP code with fewer than 11 discharges and/or residents was excluded from the map.

### Notes

[1] Clinical Classifications Software Refined (CCSR) for ICD-10-CM. October 2022. Healthcare Cost and Utilization Project (HCUP). Agency for Healthcare Research and Quality, Rockville, MD. Available from <https://www.hcup-us.ahrq.gov/toolssoftware/ccsr/dxccsr.jsp>

[2] Clinical Classifications Software Refined (CCSR) for ICD-10-PCS. October 2022. Healthcare Cost and Utilization Project (HCUP). Agency for Healthcare Research and Quality, Rockville, MD. Available from <http://www.hcup-us.ahrq.gov/toolssoftware/ccsr/prccsr.jsp>.

[3] Condition Categories – Chronic Condition Warehouse. February 2022. Centers for Medicare and Medicaid Services, Baltimore, MD. Available from <https://www2.ccwdata.org/web/guest/condition-categories>.

[4] American Community Survey (ACS) -- 2021: ACS 5-Year Estimates Detailed Tables. December 2022. United States Census Bureau, Suitland, MD. Available from [https://data.census.gov/table?q=massachusetts+population&g=040XX00US25\\$8600000&tid=ACSDT5Y2021.B01003](https://data.census.gov/table?q=massachusetts+population&g=040XX00US25$8600000&tid=ACSDT5Y2021.B01003).

## Appendix A. CCSR Category MBD026 and MBD034 Behavioral Health Classification

CCSR CATEGORY	ICD-10 CODE	ICD-10 CODE DESCRIPTION	OVERALL BH CATEGORY	BH DIAGNOSIS CATEGORY
MBD026	F1011	Alcohol abuse, in remission	Substance Use	Alcohol
MBD026	F1021	Alcohol dependence, in remission	Substance Use	Alcohol
MBD026	F1111	Opioid abuse, in remission	Substance Use	Opioids
MBD026	F1121	Opioid dependence, in remission	Substance Use	Opioids
MBD026	F1211	Cannabis abuse, in remission	Substance Use	Cannabis
MBD026	F1221	Cannabis dependence, in remission	Substance Use	Cannabis
MBD026	F1311	Sedative, hypnotic or anxiolytic abuse, in remission	Substance Use	Sedatives
MBD026	F1321	Sedative, hypnotic or anxiolytic dependence, in remission	Substance Use	Sedatives
MBD026	F1411	Cocaine abuse, in remission	Substance Use	Cocaine
MBD026	F1421	Cocaine dependence, in remission	Substance Use	Cocaine
MBD026	F1511	Other stimulant abuse, in remission	Substance Use	Stimulants
MBD026	F1521	Other stimulant dependence, in remission	Substance Use	Stimulants
MBD026	F1611	Hallucinogen abuse, in remission	Substance Use	Hallucinogens
MBD026	F1621	Hallucinogen dependence, in remission	Substance Use	Hallucinogens
MBD026	F1811	Inhalant abuse, in remission	Substance Use	Other Substance Use
MBD026	F1821	Inhalant dependence, in remission	Substance Use	Other Substance Use
MBD026	F1911	Other psychoactive substance abuse, in remission	Substance Use	Other Substance Use
MBD026	F1921	Other psychoactive substance dependence, in remission	Substance Use	Other Substance Use
MBD026	F304	Manic episode in full remission	Mental Health	Mood
MBD026	F3170	Bipolar disorder, currently in remission, most recent episode unspecified	Mental Health	Mood
MBD026	F3172	Bipolar disorder, in full remission, most recent episode hypomanic	Mental Health	Mood
MBD026	F3174	Bipolar disorder, in full remission, most recent episode manic	Mental Health	Mood
MBD026	F3176	Bipolar disorder, in full remission, most recent episode depressed	Mental Health	Mood
MBD026	F3178	Bipolar disorder, in full remission, most recent episode mixed	Mental Health	Mood
MBD026	F325	Major depressive disorder, single episode, in full remission	Mental Health	Mood
MBD026	F3340	Major depressive disorder, recurrent, in remission, unspecified	Mental Health	Mood
MBD026	F3342	Major depressive disorder, recurrent, in full remission	Mental Health	Mood
MBD034	T1491XS	Suicide attempt, sequela	Mental Health	Suicide
MBD034	T360X2S	Poisoning by penicillins, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T361X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T362X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T363X2S	Poisoning by macrolides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T364X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T365X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T366X2S	Poisoning by rifampicins, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T367X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T368X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T369X2S	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T370X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T371X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T372X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T373X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T374X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T375X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T378X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T379X2S	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T380X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T381X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T382X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T383X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T384X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T385X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T386X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T387X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T38802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T38812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T38892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T38902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T38992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T39012S	Poisoning by aspirin, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T39092S	Poisoning by salicylates, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T391X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T392X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T39312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T39392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T394X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T398X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T3992XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T400X1S	Poisoning by opium, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T400X2S	Poisoning by opium, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T400X3S	Poisoning by opium, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T400X4S	Poisoning by opium, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T400X5S	Adverse effect of opium, sequela	Substance Use	Opioids
<b>MBD034</b>	T401X1S	Poisoning by heroin, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T401X2S	Poisoning by heroin, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T401X3S	Poisoning by heroin, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T401X4S	Poisoning by heroin, undetermined, sequela	Substance Use	Opioids

<b>MBD034</b>	T402X1S	Poisoning by other opioids, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T402X2S	Poisoning by other opioids, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T402X3S	Poisoning by other opioids, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T402X4S	Poisoning by other opioids, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T402X5S	Adverse effect of other opioids, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X1S	Poisoning by methadone, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T403X2S	Poisoning by methadone, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T403X3S	Poisoning by methadone, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X4S	Poisoning by methadone, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X5S	Adverse effect of methadone, sequela	Substance Use	Opioids
<b>MBD034</b>	T40411S	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40413S	Poisoning by fentanyl or fentanyl analogs, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40414S	Poisoning by fentanyl or fentanyl analogs, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40415S	Adverse effect of fentanyl or fentanyl analogs, sequela	Substance Use	Opioids
<b>MBD034</b>	T40421S	Poisoning by tramadol, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40422S	Poisoning by tramadol, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40423S	Poisoning by tramadol, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40424S	Poisoning by tramadol, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40425S	Adverse effect of tramadol, sequela	Substance Use	Opioids
<b>MBD034</b>	T40491S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40493S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40494S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40495S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T404X1S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T404X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T404X3S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids



<b>MBD034</b>	T404X4S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T404X5S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T405X1S	Poisoning by cocaine, accidental (unintentional), sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X2S	Poisoning by cocaine, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T405X3S	Poisoning by cocaine, assault, sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X4S	Poisoning by cocaine, undetermined, sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X5S	Adverse effect of cocaine, sequela	Substance Use	Cocaine
<b>MBD034</b>	T40601S	Poisoning by unspecified narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40603S	Poisoning by unspecified narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40604S	Poisoning by unspecified narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40605S	Adverse effect of unspecified narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T40691S	Poisoning by other narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40692S	Poisoning by other narcotics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40693S	Poisoning by other narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40694S	Poisoning by other narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40695S	Adverse effect of other narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T407X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T407X3S	Poisoning by cannabis (derivatives), assault, sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X5S	Adverse effect of cannabis (derivatives), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40711S	Poisoning by cannabis, accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40713S	Poisoning by cannabis, assault, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40714S	Poisoning by cannabis, undetermined, sequela	Substance Use	Cannabis



<b>MBD034</b>	T40721S	Poisoning by synthetic cannabinoids, accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40723S	Poisoning by synthetic cannabinoids, assault, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40724S	Poisoning by synthetic cannabinoids, undetermined, sequela	Substance Use	Cannabis
<b>MBD034</b>	T408X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T408X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T408X3S	Poisoning by lysergide [LSD], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T408X4S	Poisoning by lysergide [LSD], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40901S	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T40993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T410X1S	Poisoning by inhaled anesthetics, accidental (unintentional), sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T410X3S	Poisoning by inhaled anesthetics, assault, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X4S	Poisoning by inhaled anesthetics, undetermined, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X5S	Adverse effect of inhaled anesthetics, sequela	Substance Use	Other Substance Use

<b>MBD034</b>	T411X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T41202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T41292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T413X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4142XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T415X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T420X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T422X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T423X2S	Poisoning by barbiturates, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T424X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T425X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T426X1S	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T426X3S	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X4S	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4271XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
<b>MBD034</b>	T4272XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4273XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4274XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4275XS	Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
<b>MBD034</b>	T428X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T43012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T431X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43205S	Adverse effect of unspecified antidepressants, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T43212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43292S	Poisoning by other antidepressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T433X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T434X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43601S	Poisoning by unspecified psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43603S	Poisoning by unspecified psychostimulants, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43604S	Poisoning by unspecified psychostimulants, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43605S	Adverse effect of unspecified psychostimulants, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43611S	Poisoning by caffeine, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43612S	Poisoning by caffeine, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43613S	Poisoning by caffeine, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43614S	Poisoning by caffeine, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43615S	Adverse effect of caffeine, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43621S	Poisoning by amphetamines, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43622S	Poisoning by amphetamines, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T43623S	Poisoning by amphetamines, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43624S	Poisoning by amphetamines, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43625S	Adverse effect of amphetamines, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43631S	Poisoning by methylphenidate, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43632S	Poisoning by methylphenidate, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43633S	Poisoning by methylphenidate, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43634S	Poisoning by methylphenidate, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43635S	Adverse effect of methylphenidate, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43641S	Poisoning by ecstasy, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43642S	Poisoning by ecstasy, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43643S	Poisoning by ecstasy, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43644S	Poisoning by ecstasy, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43691S	Poisoning by other psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T43693S	Poisoning by other psychostimulants, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43694S	Poisoning by other psychostimulants, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43695S	Adverse effect of other psychostimulants, sequela	Substance Use	Stimulants
<b>MBD034</b>	T438X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4392XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T440X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T441X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T442X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T443X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T444X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T445X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T446X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T447X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T448X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T44902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T44992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T450X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T451X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T452X2S	Poisoning by vitamins, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T453X2S	Poisoning by enzymes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T454X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45512S	Poisoning by anticoagulants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T45692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T457X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T458X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4592XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T460X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T461X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T462X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T463X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T464X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T465X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T466X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T467X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T468X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T46902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T46992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T470X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T471X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T472X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T473X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T474X2S	Poisoning by other laxatives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T475X2S	Poisoning by digestants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T476X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T477X2S	Poisoning by emetics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T478X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4792XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T480X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T481X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T48202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Mental Health	Suicide



<b>MBD034</b>	T48292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T483X2S	Poisoning by antitussives, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T484X2S	Poisoning by expectorants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T485X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T486X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T48902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T48992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T490X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T491X2S	Poisoning by antipruritics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T492X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T493X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T494X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T495X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T496X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T497X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T498X2S	Poisoning by other topical agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T4992XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T500X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T501X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T502X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T503X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T504X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T505X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T506X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T507X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T508X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T50Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T510X2S	Toxic effect of ethanol, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T511X2S	Toxic effect of methanol, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T512X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T513X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T518X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5192XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T520X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Mental Health	Suicide



<b>MBD034</b>	T521X2S	Toxic effect of benzene, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T522X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T523X2S	Toxic effect of glycols, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T524X2S	Toxic effect of ketones, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T528X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5292XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T530X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T531X2S	Toxic effect of chloroform, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T532X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T533X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T534X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T535X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T536X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T537X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5392XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T540X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T541X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T542X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T543X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5492XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T550X2S	Toxic effect of soaps, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T551X2S	Toxic effect of detergents, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T560X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T561X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T562X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T563X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T564X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T565X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T566X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T567X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T56812S	Toxic effect of thallium, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T56892S	Toxic effect of other metals, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5692XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T570X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T571X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T572X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T573X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T578X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5792XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5802XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5812XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T582X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T588X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5892XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T590X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T591X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T592X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T593X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T594X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T595X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T596X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T597X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T59812S	Toxic effect of smoke, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T59892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T5992XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T600X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T601X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T602X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T603X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T604X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T608X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6092XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6102XS	Ciguatera fish poisoning, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6112XS	Scombroid fish poisoning, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T61772S	Other fish poisoning, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T61782S	Other shellfish poisoning, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T618X2S	Toxic effect of other seafood, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6192XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T620X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T621X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T622X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T628X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T629X2S	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63032S	Toxic effect of taipan venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63042S	Toxic effect of cobra venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T632X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T63412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63422S	Toxic effect of venom of ants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63442S	Toxic effect of venom of bees, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63612S	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T63892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6392XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6402XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6482XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T650X2S	Toxic effect of cyanides, intentional self-harm, sequela	Mental Health	Suicide

<b>MBD034</b>	T651X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T653X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T654X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T655X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T656X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65812S	Toxic effect of latex, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65832S	Toxic effect of fiberglass, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T65892S	Toxic effect of other specified substances, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T6592XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71162S	Asphyxiation due to hanging, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	T71232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Mental Health	Suicide
<b>MBD034</b>	X710XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Mental Health	Suicide
<b>MBD034</b>	X711XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Mental Health	Suicide



<b>MBD034</b>	X712XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Mental Health	Suicide
<b>MBD034</b>	X713XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Mental Health	Suicide
<b>MBD034</b>	X718XXS	Other intentional self-harm by drowning and submersion, sequela	Mental Health	Suicide
<b>MBD034</b>	X719XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Mental Health	Suicide
<b>MBD034</b>	X72XXXS	Intentional self-harm by handgun discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X730XXS	Intentional self-harm by shotgun discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X731XXS	Intentional self-harm by hunting rifle discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X732XXS	Intentional self-harm by machine gun discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X738XXS	Intentional self-harm by other larger firearm discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X739XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X7401XS	Intentional self-harm by airgun, sequela	Mental Health	Suicide
<b>MBD034</b>	X7402XS	Intentional self-harm by paintball gun, sequela	Mental Health	Suicide
<b>MBD034</b>	X7409XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Mental Health	Suicide
<b>MBD034</b>	X748XXS	Intentional self-harm by other firearm discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X749XXS	Intentional self-harm by unspecified firearm discharge, sequela	Mental Health	Suicide
<b>MBD034</b>	X75XXXS	Intentional self-harm by explosive material, sequela	Mental Health	Suicide
<b>MBD034</b>	X76XXXS	Intentional self-harm by smoke, fire and flames, sequela	Mental Health	Suicide
<b>MBD034</b>	X770XXS	Intentional self-harm by steam or hot vapors, sequela	Mental Health	Suicide
<b>MBD034</b>	X771XXS	Intentional self-harm by hot tap water, sequela	Mental Health	Suicide
<b>MBD034</b>	X772XXS	Intentional self-harm by other hot fluids, sequela	Mental Health	Suicide
<b>MBD034</b>	X773XXS	Intentional self-harm by hot household appliances, sequela	Mental Health	Suicide
<b>MBD034</b>	X778XXS	Intentional self-harm by other hot objects, sequela	Mental Health	Suicide
<b>MBD034</b>	X779XXS	Intentional self-harm by unspecified hot objects, sequela	Mental Health	Suicide
<b>MBD034</b>	X780XXS	Intentional self-harm by sharp glass, sequela	Mental Health	Suicide
<b>MBD034</b>	X781XXS	Intentional self-harm by knife, sequela	Mental Health	Suicide
<b>MBD034</b>	X782XXS	Intentional self-harm by sword or dagger, sequela	Mental Health	Suicide
<b>MBD034</b>	X788XXS	Intentional self-harm by other sharp object, sequela	Mental Health	Suicide

<b>MBD034</b>	X789XXS	Intentional self-harm by unspecified sharp object, sequela	Mental Health	Suicide
<b>MBD034</b>	X79XXS	Intentional self-harm by blunt object, sequela	Mental Health	Suicide
<b>MBD034</b>	X80XXS	Intentional self-harm by jumping from a high place, sequela	Mental Health	Suicide
<b>MBD034</b>	X810XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Mental Health	Suicide
<b>MBD034</b>	X811XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Mental Health	Suicide
<b>MBD034</b>	X818XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Mental Health	Suicide
<b>MBD034</b>	X828XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Mental Health	Suicide
<b>MBD034</b>	X830XXS	Intentional self-harm by crashing of aircraft, sequela	Mental Health	Suicide
<b>MBD034</b>	X831XXS	Intentional self-harm by electrocution, sequela	Mental Health	Suicide
<b>MBD034</b>	X832XXS	Intentional self-harm by exposure to extremes of cold, sequela	Mental Health	Suicide
<b>MBD034</b>	X838XXS	Intentional self-harm by other specified means, sequela	Mental Health	Suicide