

Massachusetts Acute Care Hospital Inpatient Discharge Data – Quarterly Update

October 2019 through
March 2026 (Preliminary)

September 2026

Technical Appendix



Massachusetts Acute Care Hospital Inpatient Discharge Data— Quarterly Update (September 2026)

TECHNICAL APPENDIX

Contents

Introduction	3
Data Source	3
Hospital Characteristics	3
Acute Care Hospital	3
Hospital Cohort	4
Multi-Acute Hospital System Affiliation	5
Calculated Measures	7
Age	7
Length of Stay and Inpatient Days	7
Intensive Care Use and Days	7
Data Categorizations and Groupings	8
Sex	8
Race/Ethnicity	9
Payer Type	9
Discharge Setting	9
Clinical Classifications Software Refined (CCSR) for ICD-10-CM Diagnoses [1]	10
Clinical Classifications Software (CCSR) for ICD-10-PCS Procedures [2]	10
Age Group and Obstetric Status	10
Chronic Conditions [3]	12
Behavioral Health	12
Utilization by ZIP Code	15
Utilization by Acute Care Hospital	15
Total Acute Care Hospital Volume	15

Notes.....	15
Appendix A. CCSR Category MBD026 and MBD034 Behavioral Health Classification.....	17

Introduction

This technical appendix provides details on the methodology used for the report *Massachusetts Acute Care Hospital Inpatient Discharge Data (Quarterly Update): October 2019 through May 2026 (Preliminary)* released by the Massachusetts Center for Health Information and Analysis (CHIA) in September 2026. This appendix describes the main characteristics of Massachusetts acute care hospitals, as well as details on several of the calculated measures, data categorizations, and groupings used in the report.

Data Source

For this report, the Hospital Inpatient Discharge Database (HIDD) of CHIA's Acute Hospital Case Mix Databases was used as the source data. HIDD is a stay-level file including patient socio-demographics, diagnostic information, treatment and service information, and hospital charges. For general information about CHIA's Case Mix Data, including the HIDD and other Case Mix databases, please see the [Overview of the Massachusetts Acute Hospital Case Mix Databases](#) and additional information about the [Case Mix data on CHIA's website](#).

Interim HIDD data for Quarter 1 and 2 of FFY 2026 (October 2025 to March 2026) are used in this quarterly update, which means the processing, verification and cleaning that occurs at CHIA is not final; hence the data are considered preliminary. Future updates to the Case Mix Data may result in slightly different estimates than are presented here as more complete data are made available.

Hospital(s) that have no data reported for select months include:

- Signature Healthcare Brockton Hospital (March 2023-August 2024)
- North Adams Regional Hospital (October 2019-March 2024)

Hospital Characteristics

Acute Care Hospital

Due to small numbers of discharges for several months (<11 discharges), two hospitals, Shriners Hospital for Children – Boston and Springfield, were excluded from the acute care hospital section. 396 discharges in FFY 2020 and 22 discharges in FFY 2021 from temporary COVID-19 field hospitals were also excluded. Discharges from these hospitals were excluded from the acute care hospital section but were included in all other sections.

After filing for bankruptcy in May 2024, Steward Health Care sold and transferred control of five out of seven of its acute care hospitals in Massachusetts beginning FFY 2025 (October 2024). Two hospitals, Steward Carney Hospital and Nashoba Valley Medical Center, were not purchased and closed in August 2024. Norwood Hospital (formerly Steward Norwood Hospital) remains closed after

a flood in 2020. From FFY 2025 Q1 onward, quarterly data for the former Steward hospitals will reflect their new ownership and name changes:

- Boston Medical Center – Brighton (formerly St. Elizabeth's Medical Center)
- Boston Medical Center – South (formerly Good Samaritan Medical Center)
- Morton Hospital (formerly Steward Morton Hospital)
- Saint Anne's Hospital (formerly Steward Saint Anne's Hospital)
- Merrimack Health Methuen and Haverhill Hospitals (formerly Steward Holy Family Hospital)

As of FFY 2026 (October 2025), Merrimack Health Haverhill Hospital has transitioned to a Satellite Emergency Facility (SEF) focused on emergency care and outpatient services and will no longer provide inpatient care. From FFY 2026 Q1 onward, observation visits will be reported separately for the Merrimack Health Methuen and Haverhill Hospitals. Following the merger of Marlborough Hospital with UMass Memorial Medical Center at the end of FFY 2025, Marlborough Hospital will no longer appear as a separate hospital in quarterly updates as of FFY 2026 Q1.

Hospital Cohort

Hospitals are assigned to one of five mutually exclusive groups of similar hospitals: academic medical centers (AMCs), teaching hospitals, community-High Public Payer (HPP) hospitals, other community hospitals, and specialty hospitals.

- AMCs are characterized by extensive research and teaching programs, comprehensive resources for tertiary and quaternary care, being principal teaching hospitals for their respective medical schools, and being full-service hospitals with case mix intensity greater than 5% above the statewide average.
- Teaching hospitals are hospitals that report at least 25 full-time equivalent medical school residents per one hundred inpatient beds in accordance with the Medicare Payment Advisory Commission (MedPAC) and are not classified as AMCs.
- Community-High Public Payer (HPP) hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have 63% or greater of Gross Patient Service Revenue (GPSR) attributable to Medicare, MassHealth, and other government payers, including the Health Safety Net.
- Community hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have a public payer mix of less than 63%.
- Specialty hospitals are hospitals that serve unique patient populations or provide unique sets of services.

Beginning with quarterly updates published in December 2021, discharges that came from temporary COVID-19 field hospitals are no longer grouped with any of the existing hospital cohort classifications. Previous quarterly updates grouped these discharges with specialty hospitals.

Multi-Acute Hospital System Affiliation

Some Massachusetts hospitals are affiliated with a larger health system. Health systems may include multiple hospitals and/or provider organizations while others may have only one hospital with associated providers or provider organizations. Multi-acute hospital system membership identifies those health systems with more than one acute hospital. This information was derived from Audited Financial Statements. Hospitals not affiliated with a larger health system were categorized as an independent hospital; these hospitals were grouped together only for the purpose of reporting at the hospital system level.

Beginning FFY 2025 (October 2024), Steward Health Care is no longer active in Massachusetts. Following the sale of the former Steward hospitals to new operators, 3 new multi-hospital systems were established or gained presence in Massachusetts, including Boston Medical Center (BMC) Health System (after purchasing St. Elizabeth's Medical Center and Good Samaritan Medical, now called BMC – Brighton and BMC – South, respectively), Merrimack Health (after purchasing Holy Family Hospital), and Brown University Health (an existing health system based out of Rhode Island, after purchasing St. Anne's Hospital and Morton Hospital). Following Lawrence General Hospital's acquisition of Holy Family Hospital in October 2024, the new system was officially rebranded as Merrimack Health in FFY 2026 (October 2025); this system name change will be reflected in quarterly reporting from FFY 2026 Q1 onward.

UMass Memorial Health Care acquired Milford Regional Medical Center in October 2024, and the hospital is now called UMass Memorial Health – Milford Regional Medical Center; changes to system affiliation and hospital name have been backdated starting FFY 2025 Q1.

Below is a list of Massachusetts multi-acute hospital systems and their acute hospital members as of the time of this publication:

Table 1. Acute Hospitals by Multi-Acute Hospital System Affiliation

Multi-Acute Hospital	Acute Hospital Member
Baystate Health	Baystate Franklin Medical Center
	Baystate Medical Center
	Baystate Noble
	Baystate Wing Hospital
Berkshire Health Systems	Berkshire Medical Center
	Fairview Hospital
Beth Israel Lahey Health	Anna Jaques Hospital
	Beth Israel Deaconess Hospital – Milton
	Beth Israel Deaconess Hospital – Needham
	Beth Israel Deaconess Hospital – Plymouth
	Beth Israel Deaconess Medical Center
	Lahey Hospital & Medical Center

	Mount Auburn Hospital New England Baptist Hospital Northeast Hospital Winchester Hospital
Boston Medical Center Health System	Boston Medical Center Boston Medical Center – Brighton (<i>formerly Steward St. Elizabeth's Medical Center</i>) Boston Medical Center – South (<i>formerly Steward Good Samaritan Medical Center</i>)
Brown University Health*	Morton Hospital (<i>formerly Steward Morton Hospital</i>) Saint Anne's Hospital (<i>formerly Steward Saint Anne's Hospital</i>)
Cape Cod Healthcare	Cape Cod Hospital Falmouth Hospital
Heywood Healthcare	Athol Hospital Heywood Hospital
Merrimack Health	Merrimack Health Lawrence Hospital (<i>formerly Lawrence General Hospital</i>) Merrimack Health Methuen and Haverhill Hospitals (<i>formerly Holy Family Hospital</i>)
Mass General Brigham	Brigham and Women's Hospital Brigham and Women's Faulkner Hospital Cooley Dickinson Hospital Martha's Vineyard Hospital Massachusetts Eye and Ear Infirmary Massachusetts General Hospital Nantucket Cottage Hospital Newton-Wellesley Hospital North Shore Medical Center
UMass Memorial Health Care	HealthAlliance-Clinton Hospital UMass Memorial Medical Center UMass Memorial Health - Harrington Hospital UMass Memorial Health – Milford Regional Medical Center
Tufts Medicine	Lowell General Hospital MelroseWakefield Hospital Tufts Medical Center
Tenet Healthcare^	MetroWest Medical Center Saint Vincent Hospital
Independent Health System	Boston Children's Hospital Cambridge Health Alliance Dana-Farber Cancer Institute Emerson Hospital

	Holyoke Medical Center
	Mercy Medical Center
	Signature Healthcare Brockton Hospital
	South Shore Hospital
	Southcoast Hospitals Group
	Sturdy Memorial Hospital

*Brown University Health is a not-for-profit health system based in Rhode Island.
 ^Tenet Healthcare Corporation is a multi-state health system with a large presence outside of Massachusetts. Tenet owns MetroWest Medical Center and Saint Vincent Hospital.

Calculated Measures

Age

Patient age in years was calculated from the date of the inpatient admission and the patient’s date of birth. Discharges were suppressed from the report if the date of birth was missing or invalid, or if the calculated age exceeded 115 years. The number of discharges missing age data was 8 in FFY 2020, 18 in FFY 2021, 23 in FFY 2022, 27 in FFY 2023, 25 in FFY 2024, 26 in FFY 2025, and 9 in Q1 and Q2 of FFY 2026.

Length of Stay and Inpatient Days

Length of stay (LOS) was calculated by subtracting the admission date from the discharge date. Stays for which the admission and discharge dates were the same would be coded as having a length of stay of 0 days. Average length of stay (ALOS) is an aggregate measure of the mean LOS within a certain category or group. Inpatient days is an aggregate measure of the sum of the LOS, or the days of care associated with a discharge within a category or group. No outliers were removed when calculating the length of stay. The number of discharges with missing length of stay due to missing date of admission or discharge was 1 in FFY 2020, 7 in FFY 2021, 7 in FFY 2022, 8 in FFY 2023, 12 in FFY 2024, and none in 2025 or Q1 and Q2 of FFY 2026.

Intensive Care Use and Days

A discharge was characterized as having any intensive care use if the discharge had any non-zero charge for revenue codes associated with intensive care use. This includes stays in the Intensive Care Unit (ICU), Coronary Care Unit (CCU), Neonatal Intensive Care Unit (NICU), Pediatric Intensive Care Unit (PICU), and other intensive care use.

Revenue codes associated with intensive care use are as follows:

Table 2. Revenue Codes Associated with ICU

Revenue	Description
0173	Nursery – Newborn Level III
0174	Nursery – Newborn Level IV
0200	Intensive Care Unit – General
0201	Intensive Care Unit – Surgical
0202	Intensive Care Unit – Medical
0203	Intensive Care Unit – Pediatric
0204	Intensive Care Unit – Psychiatric
0206	Intensive Care Unit – Intermediate ICU
0207	Intensive Care Unit – Burn Care
0208	Intensive Care Unit – Trauma
0209	Intensive Care Unit – Other
0210	Coronary Care Unit – General
0211	Coronary Care Unit – Myocardial Infarction
0212	Coronary Care Unit – Pulmonary Care
0213	Coronary Care Unit – Heart Transplant
0214	Coronary Care Unit – Intermediate CCU
0219	Coronary Care Unit – Other

The number of days of care associated with intensive care was calculated by summing the units, or days of care, associated with revenue codes corresponding to intensive care use. The number of units were summed across all relevant intensive care codes. If the sum of units exceeded the length of stay, the total intensive care units were set to the length of stay. One limitation to this analysis is that there may be potential over-counting of total units if a patient utilized more than one type of intensive care and there was overlap of those types of care in a single day. Therefore, the number of intensive care days may be an overestimate of the true number of days of care associated with intensive care use. Lastly, the average LOS by intensive care use was calculated for the total LOS among discharges associated with any intensive care use, not just the days spent in intensive care.

Data Categorizations and Groupings

Sex

The number of discharges with missing or unknown sex was 16 in FFY 2020, 26 in FFY 2021, 55 in FFY 2022, 56 in FFY 2023, 97 in FFY 2024, 14,759 in FFY 2025, and 6,136 in Q1 and Q2 of FFY 2026.

Due to changes in the Case Mix data submission guidelines for FFY 2025, there was a higher number of missing or unknown sex reported by several hospitals, however this may change as data transitions from preliminary to final. In FFY 2025, the percent of discharges each quarter with missing or unknown sex ranged from 46-54% at Cape Code Hospital; 47-56% at Falmouth Hospital; and 8-17% at Tufts Medical Center.

Race/Ethnicity

Patient race and ethnicity were classified using a hierarchical grouping based on information entered by the facility. First, any patients of Hispanic/Latino/Spanish culture or origin regardless of race were classified as Hispanic of Any Race. Next, patients with valid primary race variables, and were not multiple races, were classified as non-Hispanic White, non-Hispanic Black, non-Hispanic Asian, non-Hispanic American Indian/Alaska Native, or non-Hispanic Native Hawaiian/Other Pacific Islander. Patients classified as Other Race or who had more than one race indicated were classified as non-Hispanic Other or Multiple Races. Due to small population sizes, non-Hispanic American Indian/Alaska Native and non-Hispanic Native Hawaiian/Other Pacific Islander are reported together with Other and Multiple Races in the Tableau workbook, but these groups are reported separately in the databook, except in the COVID-19 section. Discharges that could not be classified into any of the above groups due to missing or invalid race/ethnicity information were reported as Missing.

Payer Type

Case Mix payer type categories were assigned to one of the following:

- Medicare: Fee-for-service Medicare or managed care Medicare
- Medicaid: MassHealth, including Medicaid managed care, or Commonwealth Care
- Commercial: Blue Cross and Blue Shield Managed Care, Commercial Insurance and Commercial Managed Care, HMO, PPO/Other managed care plans not elsewhere classified, point-of-service plans, exclusive provider organizations, and other non-managed care plans
- Other: Worker's Compensation, Other Government Payment, Auto Insurance, and Dental Plans
- Self-Pay: Self-Pay, Free Care, and Health Safety Net

For preliminary data (FFY 2025 and 2026) only, payer type is the expected primary payer on the discharge as reported by the hospital. For final data through FFY 2024, payer type data provided by the hospital was enhanced through linkage to enrollment data in the Massachusetts All-Payer Claims Database. Payer type is considered enhanced in cases where patient information from the visit provided by the hospital linked to enrollment data available from other sources. If no linkage could be made, then payer information associated with the visit provided in Case Mix was used to assign payer type.

The number of discharges with missing primary payer type was 106 in FFY 2020, 146 in FFY 2021, 66 in FFY 2022, 70 in FFY 2023, 67 in FFY 2024, 25 in FFY 2025, and 47 in Q1 and Q2 of FFY 2026.

Discharge Setting

For this analysis, discharge setting information reported by the facility was classified into one of seven mutually exclusive categories:

- **Home:** Home or self-care, rest home, or shelter
- **Skilled Nursing Facility (SNF):** Skilled nursing facilities
- **Home with Home Health Agency Care (HHA):** Home under care of organized home health service organization or home under care of a home IV drug therapy provider
- **Hospice:** Home hospice care or hospice medical facility
- **Rehabilitation:** Intermediate care facility, inpatient rehabilitation facility, rehabilitation hospital or Medicare-certified long-term care hospital
- **Expired:** Expired in hospital
- **Other:** Critical access hospital, psychiatric hospital, federal healthcare facility, another short-term general hospital for inpatient care, another type of institution not defined elsewhere, or other discharge setting

The number of discharges with missing discharge setting was 17 in FFY 2020, 22 in FFY 2021, 31 in FFY 2022, 17 in FFY 2023, 18 in FFY 2024, 31 in FFY 2025, and 12 in Q1 and Q2 of FFY 2026.

Clinical Classifications Software Refined (CCSR) for ICD-10-CM Diagnoses [1]

The CCSR for ICD-10-CM diagnoses was developed by the Agency for Healthcare Research and Quality (AHRQ) and aggregates over 70,000 ICD-10-CM diagnosis codes into more than 530 clinically meaningful categories, organized across 21 body systems. For this analysis, visits were classified into mutually exclusive categories based on the default inpatient CCSR category for the listed primary ICD-10-CM diagnosis code. This update used CCSR v. 2026.1. In the section Diagnoses and Procedures, the number of discharges and average length of stay are shown for the top 10 most common primary diagnosis categories statewide and by hospital. Estimates reflect annualized totals based on federal fiscal year. Data were suppressed if there were less than 11 discharges for a primary diagnosis category.

Clinical Classifications Software (CCSR) for ICD-10-PCS Procedures [2]

The CCSR for ICD-10-PCS procedures was developed by AHRQ and aggregates over 80,000 ICD-10-PCS procedure codes into more than 320 clinically meaningful categories. For this analysis, discharges were classified into mutually exclusive categories based on the listed principal ICD-10-PCS procedure code. This report used CCSR v. 2026.1. In the section Diagnoses and Procedures, estimates among the top 25 most common CCSR categories are presented for non-obstetric adult and pediatric discharges, whereas the top 11 CCSR categories are shown for obstetric discharges.

Age Group and Obstetric Status

Discharges were grouped into one of three mutually exclusive groups: pediatric (age 0-17, non-obstetric), adult (18+, non-obstetric), and obstetric of any age. The number of discharges missing

age data was 8 in FFY 2020, 18 in FFY 2021, 23 in FFY 2022, 27 in FFY 2023, 25 in FFY 2024, 26 in FFY 2025, and 9 in Q1 and Q2 of FFY 2026. Discharges were classified into one of these groups based on age at the time of the admission (0-17 or 18+) and whether the discharge was identified as an obstetric discharge using the Clinical Classifications Software Refined (CCSR) [1] for the principal ICD-10-CM diagnosis. [CCSR categories used to identify obstetric care](#) were defined as follows:

Table 3. CCSR Categories Associated with Obstetric Care

CCSR Category	Description
FAC013	Contraceptive and procreative management
PRG001	Antenatal screening
PRG002	Gestational weeks
PRG003	Spontaneous abortion and complications of spontaneous abortion
PRG004	Induced abortion and complications of termination of pregnancy
PRG005	Ectopic pregnancy and complications of ectopic pregnancy
PRG006	Molar pregnancy and other abnormal products of conception
PRG007	Complications following ectopic and/or molar pregnancy
PRG008	Supervision of high-risk pregnancy
PRG009	Early, first or unspecified trimester hemorrhage
PRG010	Hemorrhage after first trimester
PRG011	Early or threatened labor
PRG012	Multiple gestation
PRG013	Maternal care related to fetal conditions
PRG014	Polyhydramnios and other problems of amniotic cavity
PRG015	Obstetric history affecting care in pregnancy
PRG016	Previous C-section
PRG017	Maternal care for abnormality of pelvic organs
PRG018	Maternal care related to disorders of the placenta and placental implantation
PRG019	Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium
PRG020	Hypertension and hypertensive-related conditions complicating pregnancy; childbirth; and the puerperium

PRG021	Maternal intrauterine infection
PRG022	Prolonged pregnancy
PRG023	Complications specified during childbirth
PRG024	Malposition, disproportion or other labor complications
PRG025	Anesthesia complications during pregnancy
PRG026	OB-related trauma to perineum and vulva
PRG027	Complications specified during the puerperium
PRG028	Other specified complications in pregnancy
PRG029	Uncomplicated pregnancy, delivery or puerperium
PRG030	Maternal outcome of delivery

Chronic Conditions [3]

Chronic conditions were identified using an adapted algorithm created by the [Chronic Conditions Data Warehouse](#) (CCW) as developed by the Centers for Medicare and Medicaid (CMS) using the primary and secondary diagnosis codes included for the discharge. The CCW includes 67 conditions including 27 common chronic conditions and 40 other chronic or potentially disabling conditions. The Quarterly Updates publication includes the 25 most common chronic conditions from the CCW among all discharges and within each obstetric and age group by discharge volume. One limitation of this analysis is that because only diagnoses associated with inpatient discharges are considered, the calculated prevalence of these chronic conditions are likely underestimates of true prevalence in the studied populations. For this analysis, chronic conditions were also analyzed for each obstetric and age group, and only discharges among patients aged 2 years and older were included.

Behavioral Health

For this analysis, discharges were categorized into clinical meaningful independent behavioral health categories based on the listed primary and secondary diagnosis codes using the CCSR categories for ICD-10-CM diagnoses defined by AHRQ as related to mental and behavioral disorders S[1]. A discharge may be associated with more than one behavioral health category because all primary and secondary diagnoses on the discharge record were considered and because ICD-10-CM diagnoses may be associated with more than one CCSR category. Behavioral health conditions are classified as mental health or substance use based on the conditions and CCSR categories below:

Table 4. CCSR Categories Associated with Mental Health

Diagnosis Category	CCSR Categories	CCSR Description
Mood disorders	MBD002	Depressive disorders
Mood disorders	MBD003	Bipolar and related disorders

Mood disorders	MBD004	Other specified and unspecified mood disorders
Anxiety disorders	MBD005	Anxiety and fear-related disorders
Anxiety disorders	MBD006	Obsessive-compulsive and related disorders
Trauma disorders	MBD007	Trauma and stressor-related disorders
Intentional self-harm, suicidal ideation, and suicide attempts	MBD012	Suicidal ideation, attempt, and intentional self-harm
Intentional self-harm, suicidal ideation, and suicide attempts	MBD027	Suicide attempt or intentional self-harm, subsequent encounter
Schizophrenia and other psychotic disorders	MBD001	Schizophrenia and other psychotic disorders
Personality disorders	MBD009	Personality disorders
Impulse control disorders not elsewhere classified	MBD008	Disruptive, impulse-control and conduct disorders
Miscellaneous mental health conditions	MBD010	Feeding and eating disorders
Miscellaneous mental health conditions	MBD011	Somatic disorders
Miscellaneous mental health conditions	MBD013	Miscellaneous mental and behavioral disorders and conditions

Table 5. CCSR Categories Associated with Substance Use

Diagnosis Category	CCSR Categories	CCSR Description
Alcohol-related disorders	MBD017	Alcohol-related disorders
Cannabis-related disorders	MBD019	Cannabis-related disorders
Cannabis-related disorders	MBD030	Cannabis-related disorders, subsequent encounter
Opioids-related disorders	MBD018	Opioid-related disorders
Opioids-related disorders	MBD028	Opioid-related disorders, subsequent encounter
Cocaine-related disorders	MBD021 (Only including those related to cocaine)	Stimulant-related disorders

Cocaine-related disorders	MBD029 (Only including those related to cocaine)	Stimulant-related disorders, subsequent encounter
Sedatives-related disorders	MBD020	Sedative-related disorders
Sedatives-related disorders	MBD032	Sedative-related disorders, subsequent encounter
Other Stimulant-related disorders	MBD021 (Except those related to cocaine)	Stimulant-related disorders
Other Stimulant-related disorders	MBD029 (Except those related to cocaine)	Stimulant-related disorders, subsequent encounter
Hallucinogens-related disorders	MBD022	Hallucinogen-related disorders
Hallucinogens-related disorders	MBD031	Hallucinogen-related disorders; subsequent encounter
Miscellaneous substance-related disorders	MBD023	Inhalant-related disorders
Miscellaneous substance-related disorders	MBD025	Other specified substance-related disorders
Miscellaneous substance-related disorders	MBD033	Inhalant-related disorders, subsequent encounter

Additionally, ICD-10-CM diagnoses in CCSR categories MBD026 (Mental and substance use disorders in remission) and MBD034 (Mental and substance use disorders; sequela) were manually associated with the diagnosis categories listed above. See Appendix A for a complete list of behavioral health ICD-10-CM codes and their classifications. Based on the behavioral health diagnosis categories, discharges were aggregated into larger categories representing whether the primary and secondary diagnoses were associated with any behavioral health condition (that is, either a mental health condition or substance use disorder), and for behavioral health diagnoses, whether the discharge was associated with a mental health condition and/or a substance use disorder. Some primary diagnoses may be classified as both mental health and substance use disorders; as such, the categories for Any Mental Health Condition and Any Substance Use Disorder are not mutually exclusive.

Lastly, discharges were classified into mutually exclusive groups: one or more mental health conditions associated with the discharge, but no substance use disorder, one or more substance use disorders associated with the discharge but no mental health condition, and co-occurring mental health and substance use conditions.

For this analysis, behavioral health categories were also analyzed for each obstetric and age group, and only discharges among patients aged 2 years and older were included. Some mental health and substance use categories had fewer than 11 discharges for some quarters.

Utilization by ZIP Code

The utilization map shows hospital inpatient discharges by ZIP Code Tabulation Area, or ZCTA, for FFY 2020 through 2024 as well as acute care hospital locations. The discharge rates per 100 residents are displayed using deciles, showing the distribution of discharges in ten bins. Total discharges were determined using patient ZIP code. The population per ZIP code was determined using the 5-year American Community Survey (ACS) estimates corresponding to the year of data (FFY 2020 data used the 2020 5-Year ACS estimates). For years of Case Mix data where the 5-Year ACS estimates were not yet available the latest 5-year population estimates were used. For example, FFY 2024 used the 2023 5-Year population estimates as 2024 data was not available at the time of analysis [4]. The rate per 100 residents was calculated using the total discharges divided by the population of the ZIP code. Any ZIP code with fewer than 11 discharges and/or residents was excluded from the map.

Utilization by Acute Care Hospital

Acute care hospital utilization is grouped by overall utilization, age group, obstetric and age group, sex, race/ethnicity, expected primary payer type, discharge setting, and discharge setting for any behavioral health related discharges. Overall utilization is shown in the dashboard and the remaining groupings are available in the databook. Any categories with fewer than 11 discharges have been suppressed.

Total Acute Care Hospital Volume

The total volume section shows the total volume of Massachusetts acute care hospitals by case mix categorization. CHIA's case mix databases capture all acute care hospital visits and discharges in the state. Discharges/visits are categorized by inpatient stay, outpatient observation, and emergency department (ED) treat and release. If any visit results in an inpatient stay, then it is grouped into the Hospital Inpatient Discharge Database (HIDD).

Notes

[1] Clinical Classifications Software Refined (CCSR) for ICD-10-CM. October 2022. Healthcare Cost and Utilization Project (HCUP). Agency for Healthcare Research and Quality, Rockville, MD. Available from <https://www.hcup-us.ahrq.gov/toolssoftware/ccsr/dxccsr.jsp>

[2] Clinical Classifications Software Refined (CCSR) for ICD-10-PCS. October 2022. Healthcare Cost and Utilization Project (HCUP). Agency for Healthcare Research and Quality, Rockville, MD. Available from <http://www.hcup-us.ahrq.gov/toolssoftware/ccsr/prccsr.jsp>.

[3] Condition Categories – Chronic Condition Warehouse. February 2022. Centers for Medicare and Medicaid Services, Baltimore, MD. Available from <https://www2.ccwdata.org/web/guest/condition-categories>.

[4] American Community Survey (ACS) -- 2021: ACS 5-Year Estimates Detailed Tables. December 2022. United States Census Bureau, Suitland, MD. Available from [https://data.census.gov/table?q=massachusetts+population&q=040XX00US25\\$86000000&tid=ACSDT5Y2021.B01003](https://data.census.gov/table?q=massachusetts+population&q=040XX00US25$86000000&tid=ACSDT5Y2021.B01003).

Appendix A. CCSR Category MBD026 and MBD034 Behavioral Health Classification

CCSR Category	ICD-10 Code	ICD-10 Code Description	Overall BH Category	BH Diagnosis Category
MBD026	F1011	Alcohol abuse, in remission	Substance Use	Alcohol
MBD026	F1021	Alcohol dependence, in remission	Substance Use	Alcohol
MBD026	F1111	Opioid abuse, in remission	Substance Use	Opioids
MBD026	F1121	Opioid dependence, in remission	Substance Use	Opioids
MBD026	F1211	Cannabis abuse, in remission	Substance Use	Cannabis
MBD026	F1221	Cannabis dependence, in remission	Substance Use	Cannabis
MBD026	F1311	Sedative, hypnotic or anxiolytic abuse, in remission	Substance Use	Sedatives
MBD026	F1321	Sedative, hypnotic or anxiolytic dependence, in remission	Substance Use	Sedatives
MBD026	F1411	Cocaine abuse, in remission	Substance Use	Cocaine
MBD026	F1421	Cocaine dependence, in remission	Substance Use	Cocaine
MBD026	F1511	Other stimulant abuse, in remission	Substance Use	Stimulants
MBD026	F1521	Other stimulant dependence, in remission	Substance Use	Stimulants
MBD026	F1611	Hallucinogen abuse, in remission	Substance Use	Hallucinogens
MBD026	F1621	Hallucinogen dependence, in remission	Substance Use	Hallucinogens
MBD026	F1811	Inhalant abuse, in remission	Substance Use	Other Substance Use
MBD026	F1821	Inhalant dependence, in remission	Substance Use	Other Substance Use
MBD026	F1911	Other psychoactive substance abuse, in remission	Substance Use	Other Substance Use
MBD026	F1921	Other psychoactive substance dependence, in remission	Substance Use	Other Substance Use

MBD026	F304	Manic episode in full remission	Mental Health	Mood
MBD026	F3170	Bipolar disorder, currently in remission, most recent episode unspecified	Mental Health	Mood
MBD026	F3172	Bipolar disorder, in full remission, most recent episode hypomanic	Mental Health	Mood
MBD026	F3174	Bipolar disorder, in full remission, most recent episode manic	Mental Health	Mood
MBD026	F3176	Bipolar disorder, in full remission, most recent episode depressed	Mental Health	Mood
MBD026	F3178	Bipolar disorder, in full remission, most recent episode mixed	Mental Health	Mood
MBD026	F325	Major depressive disorder, single episode, in full remission	Mental Health	Mood
MBD026	F3340	Major depressive disorder, recurrent, in remission, unspecified	Mental Health	Mood
MBD026	F3342	Major depressive disorder, recurrent, in full remission	Mental Health	Mood
MBD034	T1491XS	Suicide attempt, sequela	Mental Health	Suicide
MBD034	T360X2S	Poisoning by penicillins, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T361X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T362X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T363X2S	Poisoning by macrolides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T364X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T365X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T366X2S	Poisoning by rifampicins, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T367X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T368X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T369X2S	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T370X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T371X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T372X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T373X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T374X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T375X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T378X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T379X2S	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T380X2S	Poisoning by glucocorticoids and synthetic analogues,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T381X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T382X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T383X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T384X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T385X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T386X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T387X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T38802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T38812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T38892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T38902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T38992S	Poisoning by other hormone antagonists,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T39012S	Poisoning by aspirin, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T39092S	Poisoning by salicylates, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T391X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T392X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T39312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T39392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T394X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T398X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T3992XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T400X1S	Poisoning by opium, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T400X2S	Poisoning by opium, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T400X3S	Poisoning by opium, assault, sequela	Substance Use	Opioids
MBD034	T400X4S	Poisoning by opium, undetermined, sequela	Substance Use	Opioids
MBD034	T400X5S	Adverse effect of opium, sequela	Substance Use	Opioids

MBD034	T401X1S	Poisoning by heroin, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T401X2S	Poisoning by heroin, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T401X3S	Poisoning by heroin, assault, sequela	Substance Use	Opioids
MBD034	T401X4S	Poisoning by heroin, undetermined, sequela	Substance Use	Opioids
MBD034	T402X1S	Poisoning by other opioids, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T402X2S	Poisoning by other opioids, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T402X3S	Poisoning by other opioids, assault, sequela	Substance Use	Opioids
MBD034	T402X4S	Poisoning by other opioids, undetermined, sequela	Substance Use	Opioids
MBD034	T402X5S	Adverse effect of other opioids, sequela	Substance Use	Opioids
MBD034	T403X1S	Poisoning by methadone, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T403X2S	Poisoning by methadone, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T403X3S	Poisoning by methadone, assault, sequela	Substance Use	Opioids
MBD034	T403X4S	Poisoning by methadone, undetermined, sequela	Substance Use	Opioids
MBD034	T403X5S	Adverse effect of methadone, sequela	Substance Use	Opioids
MBD034	T40411S	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T40412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40413S	Poisoning by fentanyl or fentanyl analogs, assault, sequela	Substance Use	Opioids

MBD034	T40414S	Poisoning by fentanyl or fentanyl analogs, undetermined, sequela	Substance Use	Opioids
MBD034	T40415S	Adverse effect of fentanyl or fentanyl analogs, sequela	Substance Use	Opioids
MBD034	T40421S	Poisoning by tramadol, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T40422S	Poisoning by tramadol, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40423S	Poisoning by tramadol, assault, sequela	Substance Use	Opioids
MBD034	T40424S	Poisoning by tramadol, undetermined, sequela	Substance Use	Opioids
MBD034	T40425S	Adverse effect of tramadol, sequela	Substance Use	Opioids
MBD034	T40491S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T40492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40493S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids
MBD034	T40494S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids
MBD034	T40495S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
MBD034	T404X1S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T404X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T404X3S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids
MBD034	T404X4S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids

MBD034	T404X5S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
MBD034	T405X1S	Poisoning by cocaine, accidental (unintentional), sequela	Substance Use	Cocaine
MBD034	T405X2S	Poisoning by cocaine, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T405X3S	Poisoning by cocaine, assault, sequela	Substance Use	Cocaine
MBD034	T405X4S	Poisoning by cocaine, undetermined, sequela	Substance Use	Cocaine
MBD034	T405X5S	Adverse effect of cocaine, sequela	Substance Use	Cocaine
MBD034	T40601S	Poisoning by unspecified narcotics, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T40602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40603S	Poisoning by unspecified narcotics, assault, sequela	Substance Use	Opioids
MBD034	T40604S	Poisoning by unspecified narcotics, undetermined, sequela	Substance Use	Opioids
MBD034	T40605S	Adverse effect of unspecified narcotics, sequela	Substance Use	Opioids
MBD034	T40691S	Poisoning by other narcotics, accidental (unintentional), sequela	Substance Use	Opioids
MBD034	T40692S	Poisoning by other narcotics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40693S	Poisoning by other narcotics, assault, sequela	Substance Use	Opioids
MBD034	T40694S	Poisoning by other narcotics, undetermined, sequela	Substance Use	Opioids
MBD034	T40695S	Adverse effect of other narcotics, sequela	Substance Use	Opioids
MBD034	T407X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Substance Use	Cannabis
MBD034	T407X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Mental Health	Suicide

MBD034	T407X3S	Poisoning by cannabis (derivatives), assault, sequela	Substance Use	Cannabis
MBD034	T407X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Substance Use	Cannabis
MBD034	T407X5S	Adverse effect of cannabis (derivatives), sequela	Substance Use	Cannabis
MBD034	T40711S	Poisoning by cannabis, accidental (unintentional), sequela	Substance Use	Cannabis
MBD034	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Substance Use	Cannabis
MBD034	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40713S	Poisoning by cannabis, assault, sequela	Substance Use	Cannabis
MBD034	T40714S	Poisoning by cannabis, undetermined, sequela	Substance Use	Cannabis
MBD034	T40721S	Poisoning by synthetic cannabinoids, accidental (unintentional), sequela	Substance Use	Cannabis
MBD034	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Substance Use	Cannabis
MBD034	T40723S	Poisoning by synthetic cannabinoids, assault, sequela	Substance Use	Cannabis
MBD034	T40724S	Poisoning by synthetic cannabinoids, undetermined, sequela	Substance Use	Cannabis
MBD034	T408X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	Substance Use	Hallucinogens
MBD034	T408X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T408X3S	Poisoning by lysergide [LSD], assault, sequela	Substance Use	Hallucinogens
MBD034	T408X4S	Poisoning by lysergide [LSD], undetermined, sequela	Substance Use	Hallucinogens
MBD034	T40901S	Poisoning by unspecified psychodysleptics	Substance Use	Hallucinogens

		[hallucinogens], accidental (unintentional), sequela		
MBD034	T40902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
MBD034	T40904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
MBD034	T40905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
MBD034	T40991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	Substance Use	Hallucinogens
MBD034	T40992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T40993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
MBD034	T40994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
MBD034	T40995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
MBD034	T410X1S	Poisoning by inhaled anesthetics, accidental (unintentional), sequela	Substance Use	Other Substance Use
MBD034	T410X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T410X3S	Poisoning by inhaled anesthetics, assault, sequela	Substance Use	Other Substance Use

MBD034	T410X4S	Poisoning by inhaled anesthetics, undetermined, sequela	Substance Use	Other Substance Use
MBD034	T410X5S	Adverse effect of inhaled anesthetics, sequela	Substance Use	Other Substance Use
MBD034	T411X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T41202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T41292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T413X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T4142XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T415X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T420X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T422X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T423X2S	Poisoning by barbiturates, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T424X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T425X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T426X1S	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
MBD034	T426X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T426X3S	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
MBD034	T426X4S	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
MBD034	T426X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
MBD034	T4271XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
MBD034	T4272XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T4273XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
MBD034	T4274XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
MBD034	T4275XS	Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
MBD034	T428X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T431X2S	Poisoning by monoamine-oxidase-	Mental Health	Suicide

		inhibitor antidepressants, intentional self-harm, sequela		
MBD034	T43202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43205S	Adverse effect of unspecified antidepressants, sequela	Substance Use	Other Substance Use
MBD034	T43212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43292S	Poisoning by other antidepressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T433X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T434X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43601S	Poisoning by unspecified psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43603S	Poisoning by unspecified psychostimulants, assault, sequela	Substance Use	Stimulants

MBD034	T43604S	Poisoning by unspecified psychostimulants, undetermined, sequela	Substance Use	Stimulants
MBD034	T43605S	Adverse effect of unspecified psychostimulants, sequela	Substance Use	Stimulants
MBD034	T43611S	Poisoning by caffeine, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43612S	Poisoning by caffeine, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43613S	Poisoning by caffeine, assault, sequela	Substance Use	Stimulants
MBD034	T43614S	Poisoning by caffeine, undetermined, sequela	Substance Use	Stimulants
MBD034	T43615S	Adverse effect of caffeine, sequela	Substance Use	Stimulants
MBD034	T43621S	Poisoning by amphetamines, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43622S	Poisoning by amphetamines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43623S	Poisoning by amphetamines, assault, sequela	Substance Use	Stimulants
MBD034	T43624S	Poisoning by amphetamines, undetermined, sequela	Substance Use	Stimulants
MBD034	T43625S	Adverse effect of amphetamines, sequela	Substance Use	Stimulants
MBD034	T43631S	Poisoning by methylphenidate, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43632S	Poisoning by methylphenidate, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43633S	Poisoning by methylphenidate, assault, sequela	Substance Use	Stimulants
MBD034	T43634S	Poisoning by methylphenidate, undetermined, sequela	Substance Use	Stimulants

MBD034	T43635S	Adverse effect of methylphenidate, sequela	Substance Use	Stimulants
MBD034	T43641S	Poisoning by ecstasy, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43642S	Poisoning by ecstasy, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43643S	Poisoning by ecstasy, assault, sequela	Substance Use	Stimulants
MBD034	T43644S	Poisoning by ecstasy, undetermined, sequela	Substance Use	Stimulants
MBD034	T43691S	Poisoning by other psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
MBD034	T43692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T43693S	Poisoning by other psychostimulants, assault, sequela	Substance Use	Stimulants
MBD034	T43694S	Poisoning by other psychostimulants, undetermined, sequela	Substance Use	Stimulants
MBD034	T43695S	Adverse effect of other psychostimulants, sequela	Substance Use	Stimulants
MBD034	T438X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T4392XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T440X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T441X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T442X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T443X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T444X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T445X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T446X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T447X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T448X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T44902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T44992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T450X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T451X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T452X2S	Poisoning by vitamins, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T453X2S	Poisoning by enzymes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T454X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45512S	Poisoning by anticoagulants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T45692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T457X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T458X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T4592XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T460X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T461X2S	Poisoning by calcium-channel blockers,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T462X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T463X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T464X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T465X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T466X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T467X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T468X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T46902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T46992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T470X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T471X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T472X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T473X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T474X2S	Poisoning by other laxatives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T475X2S	Poisoning by digestants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T476X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T477X2S	Poisoning by emetics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T478X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T479X2S	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T480X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T481X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Mental Health	Suicide
MBD034	T48202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T48292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T483X2S	Poisoning by antitussives, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T484X2S	Poisoning by expectorants, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T485X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T486X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T48902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T48992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T490X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T491X2S	Poisoning by antipruritics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T492X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T493X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T494X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T495X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T496X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T497X2S	Poisoning by dental drugs, topically applied,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T498X2S	Poisoning by other topical agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T4992XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T500X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T501X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T502X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T503X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T504X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T505X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T506X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T507X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T508X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T50912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T50Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T510X2S	Toxic effect of ethanol, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T511X2S	Toxic effect of methanol, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T512X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T513X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T518X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5192XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T520X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T521X2S	Toxic effect of benzene, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T522X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T523X2S	Toxic effect of glycols, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T524X2S	Toxic effect of ketones, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T528X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5292XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T530X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T531X2S	Toxic effect of chloroform, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T532X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T533X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T534X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T535X2S	Toxic effect of chlorofluorocarbons,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T536X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T537X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5392XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T540X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T541X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T542X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T543X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5492XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T550X2S	Toxic effect of soaps, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T551X2S	Toxic effect of detergents, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T560X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T561X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T562X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T563X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T564X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T565X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T566X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T567X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T56812S	Toxic effect of thallium, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T56892S	Toxic effect of other metals, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5692XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T570X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T571X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T572X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T573X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T578X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T5792XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5802XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5812XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T582X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T588X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5892XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T590X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T591X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T592X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T593X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T594X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T595X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T596X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T597X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T59812S	Toxic effect of smoke, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T59892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T5992XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T600X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T601X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T602X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T603X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T604X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T608X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6092XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6102XS	Ciguatera fish poisoning, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6112XS	Scombroid fish poisoning, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T61772S	Other fish poisoning, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T61782S	Other shellfish poisoning, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T618X2S	Toxic effect of other seafood, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6192XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T620X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T621X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T622X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Mental Health	Suicide
MBD034	T628X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6292XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63032S	Toxic effect of taipan venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63042S	Toxic effect of cobra venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T63072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T632X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63422S	Toxic effect of venom of ants, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T63432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63442S	Toxic effect of venom of bees, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63612S	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T63822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T63892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6392XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6402XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6482XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T650X2S	Toxic effect of cyanides, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T651X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T653X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T654X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T655X2S	Toxic effect of nitroglycerin and other nitric acids and esters,	Mental Health	Suicide

		intentional self-harm, sequela		
MBD034	T656X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65812S	Toxic effect of latex, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65832S	Toxic effect of fiberglass, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T65892S	Toxic effect of other specified substances, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T6592XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71162S	Asphyxiation due to hanging, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Mental Health	Suicide
MBD034	T71222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Mental Health	Suicide

MBD034	T71232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Mental Health	Suicide
MBD034	X710XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Mental Health	Suicide
MBD034	X711XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Mental Health	Suicide
MBD034	X712XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Mental Health	Suicide
MBD034	X713XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Mental Health	Suicide
MBD034	X718XXS	Other intentional self-harm by drowning and submersion, sequela	Mental Health	Suicide
MBD034	X719XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Mental Health	Suicide
MBD034	X72XXXS	Intentional self-harm by handgun discharge, sequela	Mental Health	Suicide
MBD034	X730XXS	Intentional self-harm by shotgun discharge, sequela	Mental Health	Suicide
MBD034	X731XXS	Intentional self-harm by hunting rifle discharge, sequela	Mental Health	Suicide
MBD034	X732XXS	Intentional self-harm by machine gun discharge, sequela	Mental Health	Suicide
MBD034	X738XXS	Intentional self-harm by other larger firearm discharge, sequela	Mental Health	Suicide
MBD034	X739XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Mental Health	Suicide
MBD034	X7401XS	Intentional self-harm by airgun, sequela	Mental Health	Suicide

MBD034	X7402XS	Intentional self-harm by paintball gun, sequela	Mental Health	Suicide
MBD034	X7409XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Mental Health	Suicide
MBD034	X748XXS	Intentional self-harm by other firearm discharge, sequela	Mental Health	Suicide
MBD034	X749XXS	Intentional self-harm by unspecified firearm discharge, sequela	Mental Health	Suicide
MBD034	X75XXXS	Intentional self-harm by explosive material, sequela	Mental Health	Suicide
MBD034	X76XXXS	Intentional self-harm by smoke, fire and flames, sequela	Mental Health	Suicide
MBD034	X770XXS	Intentional self-harm by steam or hot vapors, sequela	Mental Health	Suicide
MBD034	X771XXS	Intentional self-harm by hot tap water, sequela	Mental Health	Suicide
MBD034	X772XXS	Intentional self-harm by other hot fluids, sequela	Mental Health	Suicide
MBD034	X773XXS	Intentional self-harm by hot household appliances, sequela	Mental Health	Suicide
MBD034	X778XXS	Intentional self-harm by other hot objects, sequela	Mental Health	Suicide
MBD034	X779XXS	Intentional self-harm by unspecified hot objects, sequela	Mental Health	Suicide
MBD034	X780XXS	Intentional self-harm by sharp glass, sequela	Mental Health	Suicide
MBD034	X781XXS	Intentional self-harm by knife, sequela	Mental Health	Suicide
MBD034	X782XXS	Intentional self-harm by sword or dagger, sequela	Mental Health	Suicide
MBD034	X788XXS	Intentional self-harm by other sharp object, sequela	Mental Health	Suicide
MBD034	X789XXS	Intentional self-harm by unspecified sharp object, sequela	Mental Health	Suicide
MBD034	X79XXXS	Intentional self-harm by blunt object, sequela	Mental Health	Suicide

MBD034	X80XXS	Intentional self-harm by jumping from a high place, sequela	Mental Health	Suicide
MBD034	X810XS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Mental Health	Suicide
MBD034	X811XS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Mental Health	Suicide
MBD034	X818XS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Mental Health	Suicide
MBD034	X828XS	Other intentional self-harm by crashing of motor vehicle, sequela	Mental Health	Suicide
MBD034	X830XS	Intentional self-harm by crashing of aircraft, sequela	Mental Health	Suicide
MBD034	X831XS	Intentional self-harm by electrocution, sequela	Mental Health	Suicide
MBD034	X832XS	Intentional self-harm by exposure to extremes of cold, sequela	Mental Health	Suicide
MBD034	X838XS	Intentional self-harm by other specified means, sequela	Mental Health	Suicide